

# *ANAESTHESIA AND INTENSIVE CARE*

*Journal of the Australian Society of Anaesthetists*

---

## **INDEX**

**Volume 23, 1995**

(C) indicates correspondence

(R) indicates book review

*Anaesthesia and Intensive Care, Vol. 23, No. 6, December 1995*

## INDEX

- A comparative evaluation of pressure-triggering and flow-triggering in pressure support ventilation (PSV) for neonates using animal model: Uchiyama A., Imanaka H., Taenaka N., Nakano S., Fujino Y., Yoshiya I., **302**
- A comparison of the efficacy of doxepamine and dobutamine for increasing oxygen delivery in high-risk surgical patients: Boyd O., Lamb G., Mackay C. J., Grounds R. M., Bennett E. D., **478**
- A comparison of two transcutaneous monitors for the measurement of arterial PO<sub>2</sub> and PCO<sub>2</sub> in neonates: Carter B., Hochmann M., Osborne A., Nisbet A., Campbell N., **708-714**
- A dangerous problem with plastic Yankauer suckers: Woodey R., Daley M., Torda T., Fox C., Eichel R., Roberts M., **519**
- A double-blind randomized controlled trial of ginger for the prevention of postoperative nausea and vomiting: Arfeen Z., Owen H., Plummer J. L., Ilsley A. H., Sorby-Adams R. A. C., Doecke C. J., **449**
- A double-blind randomized prospective study comparing ondansetron with droperidol in the prevention of emesis following strabismus surgery: Davis A., Krige S., Moyes D., **438**
- A meta-analysis on the efficacy of epidural corticosteroids in the treatment of sciatica: Watts R. W., Silagy C. A., **564**
- A new measure of anaesthetic potency: Barnes N. W., Dixon C., **532**
- A personal comment: Whole brain death versus cortical death: Shann F., **14**
- A problem with a Sechrist air/oxygen blender device: Wajon P., Walsh R., Symons N., **518**
- A review of anatomical and immunological links between epidural morphine and herpes simplex labialis in obstetric patients: Boyle R. K., **425**
- A study of the combined haemodynamic effects of dobutamine and enoximone in patients taking  $\beta$  Adrenoceptor antagonists: Harvey W. R., Monk C. R., **673-677**
- A survey of families of braindead patients: Their experiences, attitudes to organ donation and transplantation: Pearson I. Y., Spender-Plane T., Baisley P., Chapman J. R., Robertson P., **88**
- A survey of personal and professional attitudes of intensivists to organ donation and transplantation: Pearson I. Y., Zuryski Y., **68**
- Absorption atelectasis in the genesis of perioperative pulmonary collapse; What is the role of?: Joyce C. J., Baker A. B., **691-696**
- Abstracts of the 1994 ANZCA Annual Scientific Meeting, Townsville, Queensland, May 1995, **630**
- Abstracts of the 1994 ANZICS/CACCN Annual Scientific Meeting on Intensive Care held in Sydney, NSW, October 1994, **379**
- Abstracts of the Combined Annual Scientific Meeting of the Australian, New Zealand and Pacific Societies of Anaesthesia, Nadi, Fiji, October 8-12, 1994, **240**
- Accidental intra-arterial adrenaline administration: Young R. J., Freebairn R. C., Lipman J., **488**
- Accuracy of the tonometric function of recycled gastric tonometer catheters: Freebairn R. C., Buckley T. A., Twyford C. J., Oh T. E., **570**
- Acute Medicine—A Practical Guide to the Management of Medical Emergencies: Spriggins D., Chambers J., Jeffrey A., (R), **759**
- Acute pain management in Australia and New Zealand: Goucke R., Owen H., **715-717**
- Acute phantom limb pain controlled by ketamine: Knox D. J., McLeod B. J., Goucke C. R., **620**
- Adams S.: see Corke P. J., **346**
- Adrenaline, intra-arterial: Accidental administration: Young R. J., Freebairn R. C., Lipman J., **488**
- Agiomea K.: see Sparks C. J., **143**
- Agoraphobia, anaesthesia in a patient with: Peck D., Holland R., **238**
- Allergy, Catheter Lubricant, Chlorhexidine: Parker F., Foran S., **126**
- Amniotic fluid embolism: Choi D. M. A., Duffy B. L., **741-743**
- Amniotic fluid embolism syndrome: Case report and review: McDougall R. J., Duke G. J., **735-740**
- An enclosed efferent afferent reservoir system: The Maxima: Miller D. M., **284**
- An overview of organ transplantation in Australia: McBride M., Chapman J. R., **60**
- Anaesthesia A to Z. An encyclopaedia of Principles and Practice (Revised in paperback): Yentis S. M., Hirsch N. P., Smith G. B., (R), **758**
- Anaesthesia and moyamoya disease: Henderson M. A., Irwin M. G., **503**
- Anaesthesia and undiagnosed myasthenia gravis: Frazer R. S., Chalkiadis G. A., **114**
- Anaesthesia for adults with cystic fibrosis: Weeks A. M., Buckland M. R., **332**
- Anaesthesia for an anterior mediastinal mass with ketamine and midazolam infusion: Frawley G., Low J., Brown T. C. K., **610**
- Anaesthesia for caesarean section in a patient with acute fatty liver of pregnancy: Corke P. J., **215**
- Anaesthesia for laser pharyngoplasty—a comparison of the tracheal tube with the reinforced laryngeal mask airway: Sher M., Brimacombe J., Laing D., **143**
- Anaesthesia for the patient with allergy to latex: Spears F. D., Littlewood K. E., Liu D. W. H., **623**
- Anaesthesia in a patient with agoraphobia: Peck D. J., Holland R., **238**
- Anaesthesia in epiglottitis: Morgan-Hughes J. O., Wilkinson K. A., **519**
- Anaphylactoid reaction to Haemaccel: Fenwick D. G., Andersen G. J., Munt P. S., **521**
- Andersen G. J.: (C), **521**
- Anesthesiology and Pain Management: Stanley T. H., Ashburn M. A., Fine P. G., **526**
- Anterior traction of the tongue—a forgotten aid to awake fibreoptic intubation: Archdeacon J., Brimacombe J., **750**
- Aortic valve replacement, postoperative total mechanical alternans in: Dal A., Mamohar K., Kumar V. K. A., Sreedhar R., **513**
- Archdeacon J.: (C), **750**
- Arfeen Z., Owen H., Plummer J. L., Ilsley A. H., Sorby-Adams R. A. C., Doecke C. J.: A double blind randomized controlled trial of ginger for the prevention of postoperative nausea and vomiting, **449**
- Owen H., Plummer J. L., Ilsley A. H., Sorby-Adams R. A. C., Doecke C. J.: A double blind randomized controlled trial of ginger for the prevention of postoperative nausea and vomiting, **449**
- Arnestad J. P., Haeger M., Bengtson J. P., Bengtsson A., Lisander B.: Release of inflammatory mediators in association with collection of wound drainage blood during orthopaedic surgery, **683-686**
- Assisted Ventilation At Home—A Practical Guide: Kinnear W. J. M., **657**
- Atrial thrombosis induced by percutaneous central venous catheter: A potential hazard during cardiac surg diagnosed by intra-operative trans-oesophageal echo: Goodie D. B., Geiser J. F., **725-727**
- Attitudes to Organ Donation and Transplantation: A Survey of Families of Brain Dead Patients: Their Experiences: Pearson I. Y., Baisley P., Spender-Plane T., Chapman J. R., Macdonald G. J., Mahony J. F., **88**
- Aun C. S. T.: (C), **257**
- Australian and New Zealand Intensive Care Society statement and

- guidelines on brain death and model policy on organ donation: Pearson I. Y., 104
- Australian intensive care educational links with Asian countries: McLean A. S., Egan E., 718-720
- Autologous blood transfusion in joint replacement surgery. The role of: Mah E. T., Davis R., Seshadri P., Nyman T. L. M., Seshadri R., 472
- Aypar U.: see Dural O., 162
- Bacteriuria in ICU patients; limited usefulness of urinary dipsticks to screen out catheter-associated: Mimos O., Costa Y., Bouchet E., Samii K., 706-707
- Baines D.: see Reed J., 117
- Overton J. H.: Parenteral presence at induction of anaesthesia. A survey of NSW hospitals and tertiary paediatric hospitals in Australia, 191
- (C), 519
- Baisley P.: see Pearson I. Y., 88
- Baker A. B.: see Connolly R. A. J., 342
- See Joyce C. J., 691-696
- Baker L.: (C), 121
- Ball C.: Cover Note—Murray's Chloroform Mask, 135
- Cover Note—Esmarch's Mask, 273
- Cover Note—The Schimmelbusch Mask, 417
- Cover Note—Kocher's Mask, 535
- Balloon occlusion of the abdominal aorta during Caesarean hysterectomy for placenta percreta: Paull J. D., Smith J., Williams L., Davidson G., Devine T., Holt M., 731-734
- Balloon pump—intra-aortic, percutaneous axillary artery insertion of an: Blythe D., 406
- Barbagli R.: see Pippa P., 560
- Barnes N. W.: (C), 523
- Barry J. J., Pfizner J., Peacock M. J.: Video assisted thoracoscopy for spontaneous haemopneumothorax, 354
- Bartolacci R.: (C), 123
- Beehan S. J.: see Kerridge R., 591
- Bengston J. P.: see Arnestad J. P., 683-686
- Bengtson A.: see Arnestad J. P., 683-686
- Bennett E. D.: see Boyd O., 478
- Bhagwanjee S., Muckart D. J. J., Hodgson R. E., Naidoo J.: Fatal foetal outcome from diabetic ketoacidosis in pregnancy, 234
- Bilateral vocal cord paralysis following endotracheal intubation: Dalton C., 350
- Binder M.: (C), 515
- Bishop G.: see Lee A., 183
- Bjorksten A. R.: see Dawson P. J., 453
- Bleeding, post-nasal, foley catheter and: Wilson K. P., 122
- Blind nasal intubation by monitoring capnography in a neonate with congenital microstomia: Temperley A. D., Walker P. J., 490
- "Blind" placement of plastic left double-lumen tubes: Brodsky J. B., Macario A., Cannon W. B., Mark J. B. D., 583
- Blood, collection of wound drainage, during orthopaedic surgery. Release of inflammatory mediators in association with: Arnestad J. P., Haeger M., Bengtson J. P., Bengtsson A., Lisander B., 683-686
- Blood gas analysis, continuous intravascular, during aortic aneurysm repair: The paratrend 7: Palmer T. E. A., Cumpston P. H. V., Foster W. J., Jones R. D. M., 200
- Blythe D.: (C), 406
- Boge E.: (C), 751
- Borton C.: (R), 127
- Bouchet E.: see Mimos O., 706-707
- Boucher R. J., Ramage D. T.: Spinal subdural haematoma following combined spinal-epidural anaesthesia, 111
- Ramage D. T.: Spinal subdural haematoma following combined spinal-epidural anaesthesia, 373
- Boyd O., Lamb G., Mackay C. J., Grounds R. M., Bennett E. D.: A comparison of the efficacy of dopexamine and dobutamine for increasing oxygen delivery in high-risk surgical patients, 478
- Lamb G., Mackay C. J., Grounds R. M., Bennett E. D.: A comparison of the efficacy of dopexamine and dobutamine for increasing oxygen delivery in high-risk surgical patients, 478
- Boyle R. K.: A review of anatomical and immunological links between epidural morphine and herpes simplex labialis in obstetric patients, 425
- A review of anatomical and immunological links between epidural morphine and herpes simplex labialis in obstetric patients, 425
- Herpes simplex labialis after epidural or parenteral morphine: A randomized prospective trial in an Australian obstetric population, 433
- Herpes simplex labialis after epidural or parenteral morphine: A randomized prospective trial in an Australian obstetric population, 433
- Bozkurt P.: (C), 119
- Brady M. M.: see Murthy B. V. S., 744-746
- Brain Dead Organ Donor, Current Concepts and Implications for Treatment of the—The Physiological Changes Associated with Brain Death: Power B. M., van Heerden P. V., 26
- Brain Death, The Physiological Changes Associated with—Current Concepts and Implications for Treatment of Brain Dead Organ Donor: Power B. M., van Heerden P. V., 26
- Clinical Confirmation of: Dobb G. J., Weekes J. W., 37
- The Imaging of: Monsein L. H., 44
- Brain Death Whole Versus Cortical Death—A Personal Comment: Shann F., 14
- Brain death and organ donation—A point of view: Raper R., Fisher M. M., 16
- Brain death: An update on the North American viewpoint: Hanley D. F., 24
- Brainstem anaesthesia following a peribulbar block for eye surgery: Edge K. R., Davis A., 219
- Brainstem Death, Further Thoughts on: Pallis C., 20
- Brandis K.: (C), 751
- Breath-guided intubation—blind but not deaf: Maleck W. H., Koetter K. P., 754
- Breathing systems reclassified: Miller D. M., 281
- Brimacombe J., Newell S.: Successful anaesthetic management of a patient with thyrotoxic hypokalaemic periodic paralysis for co-incidental appendicitis, 109
- See Sher M., 149
- See Newell S., 203
- Laxton C.: Myocardial dysfunction in a 23-month child with acute poststreptococcal glomerulonephritis, 222
- Midazolam and parenteral nutrition in the management of life-threatening hyperemesis gravidarum in a diabetic patient, 228
- Murray A.: Envenomation by Ingram's brown snake (*Pseudonaja ingrami*), 231
- (C), 522
- (C), 750
- Brodsky J. B., Macario A., Cannon W. B., Mark J. B. D.: "Blind" placement of plastic left double-lumen tubes, 583
- Bronchoscopic insufflation of room air for the treatment of lobar atelectasis in mechanically ventilated patients: van Heerden P. V., Cameron P. D., Jacob W., Webb S., 175
- Brown snake, Ingram's (*Pseudonaja ingrami*), envenomation by: Brimacombe J., Murray A., 231
- Brown T. C. K.: see Frawley G., 610
- Brownridge P.: (R), 410
- (R), 758
- Buckland M. R.: see Weeks A. M., 332
- Buckley T. A.: see Freebairn R. C., 570
- Butt W.: see Scheinkstel C. D., 51
- Byth P., Macdonald G. J.: see Chapman J. R., 81
- Cadaveric organ donation: Can Rates be Improved?: Thompson J. F., Hibberd A. D., Mohacs P. J., Chapman J. R., Macdonald G. J., Mahony J. F., 99
- Cadaveric organ donors, the identification of potential: Thompson J. F., McCosker C. J., Hibberd A. D., Chapman J. R., Compton J. S., Mahony J. F., Mohacs P. J., Macdonald G. J., Spratt P. M., 75
- Cade L., Kakulas P.: Ketorolac or pethidine for analgesia after elective laparoscopic sterilization, 158
- Calder I.: (C), 125
- Cameron P. D.: see van Heerden P. V., 175

- Campbell N.: see Carter B., 708-714  
 Campbell R. C. H.: (C), 516  
 Can cadaveric organ donation rates be improved?: Thompson J. F., Hibberd A. D., Mohacsi P. J., Chapman J. R., Macdonald G. J., Mahony J. F., 99  
 Cannon W. B.: see Brodsky J. B., 583  
 Capnography does not always indicate successful intubation: Coaldrake L. A., 616  
 Carbimazole-induced agranulocytosis and severe sepsis with granulocyte macrophage colony stimulating factor, successful treatment of: Freebairn R. C., Young R. J., Gomersall C. D., Wickham N. W. R., Critchley J. A. J. H., 510  
 Carcinoma of the oesophagus, failed nasogastric intubation in: Pinder M., Hon H., Irmay F., Lipman J., 370  
 Cardiac arrest during major spinal scoliosis surgery in a patient with Duchennes's muscular dystrophy undergoing intravenous anaesthesia: Irwin M. G., Henderson M., 626  
 Cardiac arrest following epidural overdose: Dawson P., 650  
 Cardiovascular collapse, fatal, following propofol induction in high-risk patients and dilemmas in the selection of a short-acting induction agent: Warden J. C., Pickford D. R., 485  
 Cardiovascular collapse after combined spinal anaesthesia and interscalene brachial plexus block: Ngan-Kee W. D., Lee B. B., 212  
 Carotid body tumours, excision of bilateral: Connolly R. A. J., Baker A. B., 342  
 Carter B., Hochmann M., Osborne A., Nisbet A., Campbell N.: A comparison of two transcutaneous monitors for the measurement of arterial PO<sub>2</sub> and PCO<sub>2</sub> in neonates, 708-714  
 Case Books of John Snow, The: Ellis R. H., (R), 759.  
 Cass N.: (R), 262  
 Cataract Surgery, Topical Anaesthesia for: Wishaw K. J., 123  
 Catheter Lubricant Allergy, Chlorhexidine: Parker F., Foran S., 126  
 Central venous access (via the subclavian approach): Real-time ultrasound-guided: Lane P., Waldron R. J., 728-730  
 Cerebral lupus presenting as sepsis syndrome: Jenkins I. R., van Heerden P. V., Watkins D. N., 364  
 Chalkiadis G. A.: see Frazer R. S., 114  
 Chan M.: (C), 253  
 Chan M. T. V.: (C), 256  
 Changes in vancomycin pharmacokinetics in critically ill infants: Gous A. G. S., Dance M. D., Lipman J., Luyt D. K., Mathivha L. R., Scribante J., 678-682  
 Chapman J. R.: see McBride M., 60  
 See Thompson J. F., 75  
 Hibberd A. D., McCosker C. J., Thompson J. F., Ross W., Mahony J. F., Byth P., Macdonald G. J.: Obtaining consent for organ donation in nine NSW metropolitan hospitals, 81  
 See Pearson I. Y., 88  
 See Thompson J. F., 99  
 Charman W. N.: (C), 119  
 Chen P. P.: (C), 257  
 Cherian M. N.: (C), 524  
 Chester S.: (R), 264  
 Chew S. L.: see Ng A., 543  
 Chlorhexidine catheter lubricant allergy: Parker F., Foran S., 126  
 Choi D. M. A., Duffy B. L.: Amniotic fluid embolism, 741-743  
 Ciliv G.: see Dural O., 162  
 Circle absorption system hazard: Bartolacci R., 123  
 Circourt Mount, The: Sexton A., 754  
 Cisapride premedication on fasting gastric volumes, effect of oral: Kluger M. T., Owen H., Plummer J. L., McLean C., 687-690  
 Classification of Chronic Pain, Descriptions of Chronic Pain Syndromes and Definitions of Pain Terms. 2nd Edition: Merskey H., Bogduk N., 257  
 Clifford A. R.: (C), 258  
 Clinical confirmation of brain death: Dobb G. J., Weekes J. W. N., 37  
 Clinical experience with patient-controlled and staff-administered intermittent bolus epidural analgesia in labour: Paech M. J., Pavy T. J. G., Sims C., Westmore M. D., Storey J. M., White C., 459  
 Clinical indicators: Uses and misuses: Weeks A. M., 525  
 Coaldrake L. A.: Capnography does not always indicate successful intubation, 616  
 Colditz P. B.: see Dunster K. R., 605  
 Coleman S. G.: (C), 651  
 Combined spinal and interscalene blocks: Hack H. A., Robbins P. M., 653  
 Companion to Clinical Anaesthesia Exams: Corke C. F., Jackson I. J. B., 656  
 Comparison in spontaneous ventilation of the MAXIMA with the Humphrey ADE breathing system and between four methods for detecting rebreathing: Miller D. M., Palm A., 296  
 Comparison of halothane, enflurane and isoflurane kidney effects through alanine aminopeptidase/urine creatinine values: Dural O., Kanbak M., Ciliv G., Aypar U., Erdem K., 162  
 Comparison of measurement techniques: Agreement is not correlation: Myles P. S., 522  
 Comparison of total intravenous, balanced inhalational and combined intravenous-inhalational anaesthesia for tympanoplasty, septorhinoplasty and adenotonsillectomy: van den Berg A. A., Savva D., Honjol N. M., Rama Prabhu N. V., 574  
 Comparison of two transcutaneous monitors for the measurement of arterial PO<sub>2</sub> and PCO<sub>2</sub> in neonates, A: Carter B., Hochmann M., Osborne A., Nisbet A., Campbell N., 708-714  
 Compton J. S.: see Thompson J. F., 75  
 Cone A., Schneider M.: Massive rhabdomyolysis following cardiopulmonary bypass, 721-724  
 Cone A. M.: Head injury in an adult with previously undiagnosed Dandy-Walker Syndrome: A review of the condition and discussion of its anaesthetic implications, 613  
 Connolly R. A. J., Baker A. B.: Excision of bilateral carotid body tumours, 342  
 Consent, obtaining for organ donation, in nine NSW metropolitan hospitals: Chapman J. R., Hibberd A. D., McCosker C. J., Thompson J. F., Ross W., Mahony J. F., Byth P., Macdonald G. J., 81  
 Continuous intravascular blood gas analysis during aortic aneurysm repair: The parent 7: Palmer T. E. A., Cumpston P. H. V., Foster W. J., Jones R. D. M., 200  
 Contralateral pulmonary oedema: Rose M., Thorpe C. M., 352  
 Convulsion following spinal anaesthesia: Sun K. O., 520  
 Cooper J.: see Scheinkestel C. D., 51  
 Corke P. J.: Anaesthesia for caesarean section in a patient with acute fatty liver of pregnancy, 215  
 (C), 259  
 McLean A. S., Stewart D., Adams S.: Overwhelming gram negative septicaemia shock in haemochromatosis, 346  
 Correction of splanchnic oxygen deficit in the intensive care unit: Dopexamine and colloid versus placebo: Trinder T. J., Lavery G. G., Fee J. P. H., Lowry K. G., 178  
 Cortical Death Versus Whole Brain Death—A Personal Comment: Shann F., 14  
 Costa Y.: see Mimoz O., 706-707  
 Cousins M.: (R), 526  
 Cover Note—Esmarch's Mask: Ball C., 273  
 Cover Note—Kocher's Mask: Ball C., 535  
 Cover Note—Murray's Chloroform Mask: Ball C., 135  
 Cover Note—Skinner's Chloroform Mask: Westhorpe R., 3  
 Cover Note—The Schimmelbusch Mask: Ball C., 417  
 Crawford M.: (R), 261  
 Critchley J. A. J. H.: see Freebairn R. C., 510  
 Critical incident with gum elastic bougie: Robbins P. M., Hack H., 654  
 Crowhurst P.: (C), 254  
 Cumpston P. H. V.: see Palmer T. E. A., 200  
 Current and Emerging Issues in Cancer Pain: Chapman C. R., Foley K. M., 526  
 Currie M.: (R), 758  
 Cystic fibrosis, anaesthesia for adults with: Weeks A. M., Buckland M. R., 332  
 Daffurn K.: see Lee A., 183  
 Dal A., Mamohar K., Kumar V. K. A., Sreedhar R.: Total mechanical alternans in postoperative aortic valve replacement, 513

- Manohar K., Kumar V. K. A., Sreedhar R.: Total mechanical alternans in postoperative aortic valve replacement, **513**
- Daley M.: (C), **519**
- Dalton C.: Bilateral vocal cord paralysis following endotracheal intubation, **350**
- Daly M.: see Douglass G., **96**
- Dance M. D.: see Gous A. G. S., **678-682**
- Dandy-Walker syndrome: Head injury in an adult with previously undiagnosed; A review of the condition and discussion of its anaesthetic implications: Cone A. M., **613**
- David D. J.: (C), **752**
- Davidson A.: (C), **258**
- Davidson G.: see Paull J. D., **731-734**
- Davies D. W. L.: (C), **651**
- Davies J. M.: (C), **755**
- Davis A.: see Edge K. R., **219**
- Krige S., Moyes D.: A double-blind randomized prospective study comparing ondansetron and droperidol in the prevention of emesis following strabismus surgery, **438**
- Krige S., Moyes D.: A double-blind randomized prospective study comparing ondansetron with droperidol in the prevention of emesis following strabismus surgery, **438**
- Davis R.: see Mah E. T., **472**
- Dawson P.: (C), **650**
- Dawson P. J., Libreri F. C., Jones D. J., Libreri G., Bjorkstein A. R., Royle C. F.: The efficacy of adding a continuous intravenous morphine infusion to patient-controlled analgesia (PCA) in abdominal surgery, **453**
- Libreri F. C., Jones D. J., Libreri G., Bjorkstein A. R., Royle C. F.: The efficacy of adding a continuous intravenous morphine infusion to patient-controlled analgesia (PCA) in abdominal surgery, **453**
- Decision-making in anaesthesia: Rudge B. A., **597**
- Decompression, bilateral subtemporal, difficult intubation following: Reed J., Baines D., **117**
- Depth of the rabbit epidural space: Bozkurt P., Tunalı Y., Kaya G., **119**
- Detection of cerebral venous desaturation by continuous jugular bulb oximetry following acute neurotrauma: Lewis S. B., Myburgh J. A., Reilly P. L., **307**
- Devine T.: see Paull J. D., **731-734**
- Diabetic ketoacidosis in pregnancy, fatal foetal outcome from: Bhagwanjee S., Muckart D. J. J., Hodgson R. E., Naidoo J., **234**
- Diagnosis of cryptantigen exposure and polyagglutinability: Management of transfusion therapy in a patient with sepsis and colitis: Rodwell R., Lavercombe P., Taylor K., Freneys R., Haffenden M., Liew Y., Jayaswal U., **208**
- "Difficult" airway terminology: Williamson R., **756**
- Difficult intubation following bilateral subtemporal decompression: Reed J., Baines D., **117**
- Dilating peripheral veins: Robbins P. M., **654**
- Dilating veins, a simple approach: Wishaw K. J., **123**
- Dixon C.: (C), **523**
- Dobb G. J., Weekes J. W.: Clinical confirmation of brain death, **37**
- Dobutamine and doxamine for increasing oxygen delivery in high-risk surgical patients; A comparison of the efficacy of: Boyd O., Lamb G., Mackay C. J., Grounds R. M., Bennett E. D., **478**
- Dobutamine and enoximone, combined haemodynamic effects of, in patients taking  $\beta$  adrenoceptor antagonists: Harvey W. R., Monk C. R., **673-677**
- Doecke C. J.: see Arfeen Z., **449**
- Doherty M. M.: (C), **119**
- Doni L.: see Pippa P., **560**
- Doonan L.: (R), **409**
- Dopexamine and dobutamine for increasing oxygen delivery in high-risk surgical patients; A comparison of the efficacy of: Boyd O., Lamb G., Mackay C. J., Grounds R. M., Bennett E. D., **478**
- Double-blind randomized prospective study comparing ondansetron with droperidol in the prevention of emesis following strabismus surgery, A: Davis A., Krige S., Moyes D., **438**
- Double-lumen tubes, displacement of: Goodie D. B., **405**
- Plastic, left; blind placement of: Brodsky J. B., Macario A., Cannon W. B., Mark J. B. D., **583**
- Douglas M. J.: see Pavy T. J. G., **555**
- Douglass G., Daly M.: Donor families' experience of organ donation, **96**
- Droperidol versus ondansetron, single-dose prophylaxis for post-operative nausea and vomiting after major abdominal surgery: Paech M. J., Pavy T. J. G., Evans S. F., **548**
- Duchenne's muscular dystrophy; cardiac arrest during major spinal scoliosis surgery in a patient with, undergoing intravenous anaesthesia: Irwin M. G., Henderson M., **626**
- Duffy B. L.: (C), **405**
- See Choi D. M. A., **741-743**
- Duke G. J.: see McDougall R. J., **735-746**
- Dunster K. R., Colditz P. B.: Flow continuity of infusion systems at low flow rates, **605**
- Dural O., Kanbak M., Ciliv G., Aypar U., Erdem K.: Comparison of halothane, enflurane and isoflurane kidney effects through alanine aminopeptidase/urine creatinine values, **162**
- Dye P.: Organ donation in Australia: An historical overview, current directions and future principles, **65**
- Edge K. R., Davis A.: Brainstem anaesthesia following a peribulbar block for eye surgery, **219**
- Editorial: Pearson I. Y., **11**
- Edmeades R. A.: (C), **123**
- Edouard A.: see Mimoz O., **706-707**
- Educational links, Australian intensive care, with Asian countries: McLean A. S., Egan E., **718-720**
- Edwards R. M.: (C), **752**
- Effect of oral cisapride premedication on fasting gastric volumes: Kluger M. T., Owen H., Plummer J. L., McLean C., **687-690**
- Effect of propofol infusion on the endocrine response to cardiac surgery: Ng A., Tan S. S. W., Lee H. S., Chew S. L., **543**
- Effects of midazolam on heart rate variability during surgery under spinal anaesthesia: Kawamoto M., Shimokawa A., Takasaki M., **464**
- Efficacy of adding a continuous intravenous morphine infusion to patient-controlled analgesia (PCA) in abdominal surgery: The: Dawson P. J., Libreri F. C., Jones D. J., Libreri G., Bjorkstein A. R., Royle C. F., **453**
- Egan E.: see McLean A. S., **718-720**
- Eichel R.: (C), **519**
- Elson J. A., Paech M. J.: EMLA cream prior to insertion of elective epidural, **339**
- EMLA cream prior to insertion of elective epidurals: Elson J. A., Paech M. J., **339**
- Emergency team, the medical: Lee A., Bishop G., Hillman K. M., Daffurn K., **183**
- Endoscopic carpal tunnel release: Marsland A. R., Zavattaro M., Coleman S. G., Green N. H., **651**
- Endotracheal tube position, alterations in, with head and neck movement: Sun K. O., **403**
- Envenomation by Ingram's brown snake (*Pseudonaja ingrami*): Brimacombe J., Murray A., **231**
- Epidural anaesthesia in infants and children, sacral intervertebral approach: Application of "drip and tube" method: Kumagai M., Yamashita M., **469**
- Epidural analgesia in labour, clinical experience with patient-controlled and staff-administered intermittent bolus: Paech M. J., Pavy T. J. G., Sims C., Westmore M. D., Storey J. M., White C., **459**
- Epidural caesarean section in a patient with congenital antithrombin III deficiency: Rowbottom S. J., **493**
- Epidural catheters, tunnelled: Rowney D. A., Levack I., **404**
- Epidural corticosteroids in the treatment of sciatica, A meta-analysis of the efficacy of: Watts R. W., Silagy C. A., **564**
- Epidural infusions, gravity feed and: Tuck M., **408**
- Epidural morphine and herpes simplex labialis in obstetric patients, A review of anatomical and immunological links, **425**
- Epidural or parenteral morphine, herpes simplex after: A randomized prospective trial in an Australian obstetric, **433**
- Epidural space rabbit, depth of the: Bozkurt P., Tunalı Y., Kaya G., **119**
- Epiglottis after anaesthesia with a laryngeal mask: McKinney B., Grigg R., **618**



- Erdem K.: see Dural O., 162
- Evans S. F.: see Paech M. J., 548
- See Paech M. J., 600
- Excision of bilateral carotid body tumours: Connolly R. A. J., Baker A. B., 342
- Experience of organ donation, donor families: Douglass G. E., Daly M., 96
- Fa'arondo J. R.: see Sparks C. J., 143
- Failed nasogastric intubation in undiagnosed carcinoma of the oesophagus: Pinder M., Hon H., Irmay F., Lipman J., 370
- Failure of Baxter PCA system: Lam K. K., Poon M., 652
- Families of Brain Dead Patients, A Survey of: Their Experiences, Attitudes to Organ Donation and Transplantation: Pearson I. Y., Bazeley P., Spencer-Plane T., Chapman J. R., Robertson P., 88
- Fatal cardiovascular collapse following propofol induction in high-risk patients and dilemmas in the selection of a short-acting induction agent: Warden J. C., Pickford D. R., 485
- Fatal foetal outcome from diabetic ketoacidosis in pregnancy: Bhagwanjee S., Muckart D. J. J., Hodgson R. E., Naido J., 234
- Fatal hepatic necrosis following cardiac surgery and enflurane anaesthesia: Schneider M., 225
- Fatal serotonin syndrome following a combined overdose of moclobemide, clomipramine and fluoxetine: Power B. M., Pinder M., Hackett L. P., Ilett K. F., 499
- Fatty liver, acute of pregnancy, anaesthesia for caesarean section in a patient with: Corke P. J., 215
- Fee J. P. H.: see Trinder T. J., 178
- See Trinder T. J., 315
- Fenwick D. G.: (C), 521
- Fiberoptic Guided Tracheal Intubation: A Practical Approach: Hwang N. C., 656
- Fibreoptic intubation via a laryngeal mask in an infant with Goldenhar syndrome: Haxby E. J., Liban J. B., 753
- Fibreoptic oral intubation: A solution to difficult intubation in the parturient: Sidhu V. S., Davies D. W. L., 651
- Field block, inguinal, for adult inguinal hernia repair using short-bevel needle: Sparks C. J., Rudkin G. E., Agiomea K., Fa'arondo J. R., 143
- Fisher M. M.: see Raper R., 16
- See Johnson P. A., 697-701
- Fitzpatrick A. J.: Upper airway obstruction in Parkinson's Disease, 367
- Fitzpatrick K.: see Murthy B. V. S., 744-746
- Flow continuity of infusion systems at low flow rates: Dunster K. R., Colditz P. B., 605
- Fogarty D. J.: see Murthy B. V. S., 744-746
- Foley catheter and post-nasal bleeding: Wilson K. P., 122
- Foran S.: (C), 126
- Foster W. J.: see Palmer T. E. A., 200
- Fox C.: (C), 519
- Frawley G., Low J., Brown T. C. K.: Anaesthesia for an anterior mediastinal mass with ketamine and midazolam infusion, 610
- Frazer R. S., Chalkiadis G. A.: Anaesthesia and undiagnosed myasthenia gravis, 114
- Freebairn R. C.: see Young R. J., 488
- Young R. J., Gomersall C. D., Wickham, N. W. R., Critchley J. A. J. H.: Successful treatment of carbimazole-induced agranulocytosis and severe sepsis with granulocyte macrophage colony stimulating factor, 510
- Young R. J., Gomersall C. D., Wickham N. W. R., Critchley J. A. J. H.: Successful treatment of carbimazole-induced agranulocytosis and severe sepsis with granulocyte macrophage colony stimulating factor, 510
- Buckley T. A., Twyford C. J., Oh T. E.: Accuracy of the tonometric function of recycled gastric tonometer catheters, 570
- Freneys R.: see Rodwell R., 208
- Fujino Y.: see Uchiyama A., 302
- Further thoughts on brainstem death: Pallis C., 20
- Gambling D. R.: see Pavy T. J. G., 555
- Gaskin K. J.: see Milross J. G., 587
- Gastric tonometer catheter, recycled: Accuracy of the function of: Freebairn R. C., Buckley T. A., Twyford C. J., Oh T. E., 570
- Gastro-oesophageal reflux and adverse respiratory events in children under anaesthesia: Milross J. G., Negus B. H., Street N. E., Gaskin K. J., 587
- Geiser J. F.: see Goodie D. B., 725-727
- Geoffrey Kaye oration, The: Hains J., 376
- Gibbs J. M.: (R), 266
- Gillies E. R. N.: (R), 656
- Ginger ?.: A double-blind randomized controlled trial of for the prevention of postoperative nausea and vomiting: Arfeen Z., Owen H., Plummer J. L., Ilsley A. H., Sorby-Adams R. A. C., Doecke C. J., 449
- Glazziou P. P.: see Kerridge R. K., 322
- Glomerulonephritis, acute poststreptococcal, myocardial dysfunction in a 23-month child with: Brimacombe J., Laxton C., 222
- Gomersall C. D.: see Freebairn R. C., 510
- Goodie D. B.: (C), 405
- Geiser J. F.: Atrial thrombosis induced by percutaneous central venous catheter: A potential hazard during cardiac surg diagnosed by intra-operative trans-oesophageal echo, 725-727
- Gorey T. F.: see Lyons B., 507
- Gorman D.: Problems in the modelling of inert gas kinetics, 187
- Goucke C. R.: see Knox D. J., 620
- Goucke R., Owen H.: Acute pain management in Australia and New Zealand, 715-717
- Gous A. G. S., Dance M. D., Lipman J., Luyt D. K., Mathivha L. R., Scribante J.: Changes in vancomycin pharmacokinetics in critically ill infants, 678-682
- Green N. H.: (C), 651
- Griffin M.: (C), 752
- Grigg R.: see McKinney B., 618
- Grounds R. M.: see Boyd O., 478
- Guidelines on Brain Death and Model Policy on Organ Donation, Australian and New Zealand Intensive Care Society Statement: Pearson I. Y., 104
- Hack H.: (C), 654
- Hack H. A.: (C), 653
- Hackett L. P.: see Power B. M., 499
- Haeger M.: see Arnestad J. P., 683-686
- Haematoma spinal subdural, following combined spinal-epidural anaesthesia: Bougher R. J., Ramage D. T., 111
- Haemochromatosis, overwhelming gram negative septic shock in: Corke P. J., McLean A. S., Stewart D., Adam S., 346
- Haemopneumothorax, spontaneous, video-assisted thoracoscopy for: Barry J. J., Pfitzner J., Peacock M. J., 354
- Haffenden M.: see Rodwell R., 208
- Hains J.: The Geoffrey Kaye Oration, 376
- Hammond J. M. J., Potgieter P. D.: Is there a role for selective decontamination of the digestive tract in primarily infected patients in the ICU?, 168
- Hanley D. F.: Brain death: An update on the North American viewpoint, 24
- Harrison V. L.: (R), 760
- Harvey W. R., Monk C. R.: A study of the combined haemodynamic effects of dobutamine and enoximone in patients taking  $\beta$  adrenoceptor antagonists, 673-677
- Haxby E. J.: (C), 753
- Head injury in an adult with previously undiagnosed Dandy-Walker Syndrome: A review of the condition and discussion of its anaesthetic implications: Cone A. M., 613
- Headache during epidural top-ups in labour—a sign of reduced intracranial compliance: Murthy B. V. S., Fogarty D. J., Fitzpatrick K., Brady M. M., 744-746
- Heat and moisture exchanging humidifiers on work of breathing, The impact of: Johnson P. A., Raper R. F., Fisher M. M., 697-701
- HemoCue microcuvette function, high humidity affects: Henderson M. A., Irwin M. G., 407
- Henderson M.: see Irwin M. G., 626
- Henderson M. A.: (C), 407
- Irwin M. G.: Anaesthesia and moyamoya disease, 503

- Hepatic necrosis, fatal, following cardiac surgery and enflurane anaesthesia: Schneider M., 225
- Hepatic necrosis after cardiac surgery: Strunin L., Davies J. M., 755-756
- Heriot W.: see Williams N., 444
- Herpes simplex labialis after epidural or parenteral morphine: A randomized prospective trial in an Australian obstetric population: Boyle R. K., 433
- Herpes simplex labialis in obstetric patients. A review of anatomical and immunological links between epidural morphine: Boyle R. K., 425
- Hibberd A. D.: see Thompson J. F., 75
- See Chapman J. R., 81
- See Thompson J. F., 99
- Hillman K. M.: see Lee A., 183
- See Kerridge R. K., 322
- See Kerridge R., 591
- Historical overview and, current directions and future principles: Organ donation in Australia: Dye P., 65
- HME plus heated humidifier danger: Warmington A., Peck D., 125
- Hobbes A.: (R), 527
- Hochmann M.: see Carter B., 708-714
- Hodgson R. E.: see Bhagwanjee S., 234
- Holland R.: (C), 156
- See Peck D. J., 238
- Holt M.: see Paull J. D., 731-734
- Holz P.: (C), 120
- Hon H.: see Pinder M., 370
- Honjol N. M.: see van den Berg A. A., 574
- Hughes P. J.: (C), 119
- Humidifiers, heat and moisture exchanging, impact on work of breathing: Johnson P. A., Raper R. F., Fisher M. McD., 697-701
- Huntington C.: (C), 260
- Hwang N. C.: (C), 254
- Hyperemesis gravidarum, life-threatening, in a diabetic patient: Midazolam and parenteral nutrition in the management of: Brimacombe J., 228
- Identification of potential cadaveric organ donors, The: Thompson J. F., McCosker C. J., Hibberd A. D., Chapman J. R., Compton J. S., Mahony J. F., Mohacsi P. J., MacDonald G. J., Spratt P. M., 75
- Ilett K. F.: see Power B. M., 499
- Ilisley A. H.: see Arfeen Z., 449
- Imanaka H.: see Uchiyama A., 302
- Indomethacin, rectal, potentiates spinal morphine analgesia after caesarean delivery: Pavy T. J. G., Gambling D. R., Merrick P. M., Douglas M. J., 555
- Inert gas kinetics, problems in the modelling of: Gorman D., 187
- Inflammatory mediators, release of, in association with collection of wound drainage blood during orthopaedic surgery: Arnestad J. P., Haeger M., Bengtson J. P., Bengtsson A., Lisander B., 683-686
- Infusion systems at low flow rates: Flow continuity of: Dunster K. R., Colditz P. B., 605
- Inguinal field block for adult hernia using a short-bevel needle. Description and clinical experience in Solomon Islands and an Australian teaching hospital: Sparks C. J., Agiomeka K., Fa'arondo J. R., Rudkin G. E., 143
- Intensive Care and Clinical Biochemistry: Gosling P., Marshall W. J., Clapham M. C., 658
- Intensive care educational links, Australian, with Asian countries: McLean A. S., Egan E., 718-720
- Intensivists, personal and professional attitudes of, to organ donation and transplantation: A survey: Pearson I. Y., Zurynski Y., 68
- Interscalene brachial plexus block, cardiovascular collapse after combined spinal anaesthesia and: Ngan-Kee W. D., Lee B. B., 212
- Intramuscular ketorolac for analgesia after laparoscopic sterilisation: Kelly K., Baker L., Robertson E. A., Noble D., 121
- Intravenous, total, balanced inhalational and combined intravenous-inhalational anaesthesia for tympanoplasty, septorhinoplasty and adenotonsillectomy. Comparison of: van den Berg A. A., Savva D., Honjol N. M., Rama Prabhu N. V., 574
- Intravenous morphine infusion, continuous; Efficacy of adding to patient-controlled analgesia (PCA) in abdominal surgery: Dawson P. J., Librieri F. C., Jones D. J., Librieri G., Bjorkenstein A. R., Royle C. F., 453
- Irmay F.: see Pinder M., 370
- Irwin M. G.: (C), 407
- See Henderson M. A., 503
- Henderson M.: Cardiac arrest during major spinal scoliosis surgery in a patient with Duchennes's muscular dystrophy undergoing intravenous anaesthesia, 626
- Is there a role for selective decontamination of the digestive tract in primarily infected patients in the ICU?: Hammond J. M. J., Potgieter P. D., 168
- Jacob W.: see van Heerden P. V., 175
- Jayaswal U.: see Rodwell R., 208
- Jenkins I. R., van Heerden P. V., Watkins D. N.: Cerebral lupus presenting as sepsis syndrome, 364
- Langlois D.: Quantitative measurement of nasal production of nitric oxide in awake humans, 702-705
- Johnson D. C.: see Pembroke A. P., 206
- Johnson P. A., Raper R. F., Fisher M. M.: The impact of heat and moisture exchanging humidifiers on work of breathing, 697-701
- Jones D. J., see Dawson P. J., 453
- Jones M. E.: (R), 758
- Jones R. D. M.: see Palmer T. E. A., 200
- Joyce C. J., Baker A. B.: What is the role of absorption atelectasis in the genesis of perioperative pulmonary collapse?, 691-696
- Jugular bulb oximetry, continuous, following acute neurotrauma: Detection of cerebral venous desaturation by: Lewis S. B., Myburgh J. A., Reilly P. L., 307
- Kakulas P.: see Cade L., 158
- Kanbak M.: see Dural O., 162
- Kawamoto M., Shimokawa A., Takasaki M.: Effects of midazolam on heart rate variability during surgery under spinal anaesthesia, 464
- Shimokawa A., Takasaki M.: Effects of midazolam on heart rate variability during surgery under spinal anaesthesia, 464
- Kaya G.: (C), 119
- Kelly K.: (C), 121
- Kemble J.: (C), 120
- Keneally J.: (R), 656
- Kennedy N.: see McConaghy P. M., 496
- Kermode J. L., Walker S., Webb I.: Postoperative vomiting in children, 196
- Kerridge R., Lee A., Latchford E., Beehan S. J., Hillman K. M.: The perioperative system: A new approach to managing elective surgery, 591
- Kerridge R. K., Glasziou P. P., Hillman K. M.: The use of "Quality-Adjusted Life Years" (QALYs) to evaluate treatment in intensive care, 322
- Ketamine and midazolam infusion, anaesthesia for an anterior mediastinal mass with: Frawley G., Low J., Brown T. C. K., 610
- Ketorolac or pethidine for analgesia after elective laparoscopic sterilization: Cade L., Kakulas P., 158
- Khan A. K.: (C), 260
- Khoo S. T.: see Tham C. S., 154
- Kidney effects, comparison of halothane, enflurane and isoflurane through alanine aminopeptidase/urine creatinine values: Dural O., Kanbak M., Cilic G., Aypar U., Erden K., 162
- King H. K.: (C), 260
- Klineberg P.: see Pembroke A. P., 206
- Klippel-Feil Syndrome: David D. J., Edwards R. M., 752
- Klippel-Feil syndrome, intraoperative nasotracheal to orotracheal tube change in a patient with: Novella J., 402
- Klonis E.: Toxic shock syndrome in a male secondary to myositis, 361
- Kluger M. T., Owen H., Plummer J. L., McLean C.: Effect of oral cisapride premedication on fasting gastric volumes, 687-690
- Knight G.: (R), 657
- Knox D. J., McLeod B. J., Goucke C. R.: Acute phantom limb pain controlled by ketamine, 620

- Koetter K. P.: (C), 754  
 Krige S.: see Davis A., 438  
 Kumagai M., Yamashita M.: Sacral intervertebral approach for epidural anaesthesia in infants and children: Application of "drip and tube" method, 469  
 Yamashita M.: Sacral intervertebral approach for epidural anaesthesia in infants and children: Application of "drip and tube" method, 469  
 Kumar V. K. A.: see Dal A., 513  
 Laing D.: see Sher M., 149  
 Lam K. K.: (C), 652  
 Lamb G.: see Boyds O., 478  
 Lane P., Waldron R. J.: Real-time ultrasound-guided central venous access via the subclavian approach, 728-730  
 Langlois D.: see Jenkins I. R., 702-705  
 Laryngeal mask, epiglottis after anaesthesia with: McKinney B., Grigg R., 618  
 Latchford E.: see Kerridge R., 591  
 Latex allergy, anaesthesia for the patient with: Spears F. D., Littlewood K. E., Liu D. W. H., 623  
 Lavercombe P.: see Rodwell R., 208  
 Lavery G. G.: see Trinder T. J., 178  
 See Trinder T. J., 315  
 Laxton C.: see Brimacombe J., 222  
 Lee A., Bishop G., Hillman K. M., Daffurn K.: The medical emergency team, 183  
 See Kerridge R., 591  
 Lee B. B.: see Ngan-Kee W. D., 212  
 (C), 653  
 Lee H. S.: see Ng A., 543  
 Lee R.: (R), 263  
 Levack I.: (C), 404  
 Lewis S. B., Myburgh J. A., Reilly P. L.: Detection of cerebral venous desaturation by continuous jugular bulb oximetry following acute neurotrauma, 307  
 Liban J. B.: (C), 753  
 Libreri F. C.: see Dawson P. J., 453  
 Libreri G.: see Dawson P. J., 453  
 Liew Y.: see Rodwell R., 208  
 Limb R. I.: (C), 405  
 (C), 517  
 Limited usefulness of urinary dipsticks to screen out catheter-associated bacteriuria in ICU patients: Mimos O., Costa Y., Bouchet E., Samii K., Edouard A., 706-707  
 Lin C. Y.: (C), 523  
 Lipman J.: see Pinder M., 370  
 See Young R. J., 488  
 See Gous A. G. S., 678-682  
 Lisander B.: see Arnestad J. P., 683-686  
 Littlewood K. E.: see Spears F. D., 623  
 Liu D. W. H.: see Spears F. D., 623  
 Local anaesthesia for eye surgery: Seppelt I., 516  
 Low gastric intramucosal pH: Incidence and significance in intensive care patients: Trinder T. J., Lavery G. G., Fee J. P. H., Lowry K. G., 315  
 Low J.: see Frawley G., 610  
 Low J. M.: (C), 256  
 Low S. W.: (C), 753  
 Lowry K. G.: see Trinder T. J., 178  
 See Trinder T. J., 315  
 Lupus, cerebral, presenting as sepsis syndrome: Jenkins I. R., van Heerden P. V., Watkins D. N., 364  
 Luyt D. K.: see Gous A. G. S., 678-682  
 Lynch J. C., Shehabi Y.: Stroke caused by inadvertent intra-arterial parenteral nutrition, 358  
 Lyons B., Phelan D., McCarroll M., Stack J., Murphy S., O'Moore B. T., Gorey T. F.: Prolonged unilateral lower limb paresis following abdominal surgery with epidural and general anaesthesia, 507  
 Phelan D., McCarroll M., Stack J., Murphy S., O'Moore B. T., Gorey T. F.: Prolonged unilateral lower limb paresis following abdominal surgery with epidural and general anaesthesia, 507  
 Macario A.: see Brodsky J. B., 583  
 MacDonald G. J., Spratt P. M.: see Thompson J. J., 75  
 MacDonald G. J.: see Thompson J. F., 99  
 Mackay C. J.: see Boyd O., 478  
 Mah E. T., Davis R., Seshadri P., Nyman T. L. M., Seshadri R.: The role of autologous blood transfusion in joint replacement surgery, 472  
 Davis R., Seshadri P., Nyman T. L. M., Seshadri R.: The role of autologous blood transfusion in joint replacement surgery, 472  
 Mahony J. F., Mohacsi P. J.: see Thompson J. F., 75  
 See Chapman J. R., 81  
 See Thompson J. F., 99  
 Maleck W. H.: (C), 754  
 Malignant Hyperthermia: A Genetic Membrane Disease: Oshnishi S. T., Oshnishi T., 127  
 Manohar K.: see Dal A., 513  
 Mark J. B. D.: see Brodsky J. B., 583  
 Marsland A. R.: (C), 651  
 Massive rhabdomyolysis following cardiopulmonary bypass: Cone A., Schneider M., 721-724  
 Mathews M. P.: (C), 524  
 Mathivha L. R.: see Gous A. G. S., 678-682  
 Maxima and Bain breathing systems compared in controlled ventilation: Miller D. M., 292  
 McBride M., Chapman J. R.: An overview of organ transplantation in Australia, 60  
 McCann B.: (R), 656  
 McCarroll M.: see Lyons B., 507  
 McConaghy P. M., Kennedy N.: Tension pneumothorax due to intrapulmonary placement of intercostal chest drain, 496  
 Kennedy N.: Tension pneumothorax due to intrapulmonary placement of intercostal chest drain, 496  
 McCosker C. J.: see Thompson J. F., 75  
 See Chapman J. R., 81  
 McDougall R. J., Duke G. J.: Amniotic fluid embolism syndrome: Case report and review, 735-740  
 McKenzie I.: (R), 265  
 McKinney B., Grigg R.: Epiglottis after anaesthesia with a laryngeal mask, 618  
 McLean A. S.: see Corke P. J., 346  
 Egan E.: Australian intensive care educational links with Asian countries, 718-720  
 McLean C.: see Kluger M. T., 687-690  
 McLeod B. J.: see Knox D. J., 620  
 Measurement of neuromuscular blockade—a comparison between a new "homemade" force displacement transducer and the accelerometer: Newell S., Brimacombe J., 203  
 Mechanical ventilation at moderate altitude: Roeggla M., Roeggla G., Binder M., 515  
 Medical management of the (potential) organ donor: Scheinkestel C. D., Tuxen D. V., Cooper J., Butt W., 51  
 Merrick P. M.: see Pavy T. J. G., 555  
 Midazolam and parenteral nutrition in the management of life-threatening hyperemesis gravidarum in a diabetic patient: Brimacombe J., 228  
 Midazolam on heart rate variability during surgery under spinal anaesthesia: Effects of: Kawamoto M., Shimokawa A., Takasaki M., 464  
 Miller D. M.: Breathing systems reclassified, 281  
 An enclosed efferent afferent reservoir system: The Maxima, 284  
 Maxima and Bain breathing systems compared in controlled ventilation, 292  
 Palm A.: Comparison in spontaneous ventilation of the Maxima with the Humphrey ADE breathing system and between four methods for detecting rebreathing, 296  
 Miller G. M.: (C), 405  
 (C), 517  
 Milross J. G., Negus B. H., Street N. E., Gaskin K. J.: Gastro-oesophageal reflux and adverse respiratory events in children under anaesthesia, 587  
 Mimos O., Costa Y., Bouchet E., Samii K., Edouard A.: Limited usefulness of urinary dipsticks to screen out catheter-associated



- bacteriuria in ICU patients, 706-707
- Modulating effects of lignocaine on propofol: Tham C. S., Khoo S. T., 154
- Mohacs P. J.: see Thompson J. F., 99
- Molnar R.: (C), 404
- Monk C. R.: see Harvey W. R., 673-677
- Monsein L. H.: The imaging of brain death, 44
- Moran P.: (R), 265
- Morgan-Hughes J. O.: (C), 519
- Morris R. W.: (C), 403
- Mortality, anaesthesia: Warden J. C., Holland R., 156
- Moyamoya disease, anaesthesia and; Henderson M. A., Irwin M. G., 503
- Moyes D.: see Davis A., 438
- Muckart D. J. J.: see Bhagwanjee S., 234
- Munt P. S.: (C), 521
- Murphy S.: see Lyons B., 507
- Murray A.: see Brimacombe J., 231
- Murthy B. V. S., Fogarty D. J., Fitzpatrick K., Brady M. M.: Headache during epidural top-ups in labour—a sign of reduced intracranial compliance, 744-746
- Myasthenia Gravis Undiagnosed, Anaesthesia and; Frazer R. S., Chalkiadis G. A., 114
- Myburgh J. A.: see Lewis S. B., 307
- Myles P.: (R), 409
- Myles P. S.: (C), 256
- (C), 522
- Myocardial dysfunction in a 23-month child with acute post-streptococcal glomerulonephritis: Brimacombe J., Laxton C., 222
- Myosotis, toxic-shock syndrome in a male secondary to: Klonis E., 361
- Naido J.: see Bhagwanjee S., 234
- Nakano S.: see Uchiyama A., 302
- Negus B. H.: see Milross J. G., 587
- Neuromuscular blockade, measurement of—A comparison between a new "homemade" force displacement transducer and the accelerometer: Newell S., Brimacombe J., 203
- Newell S.: see Brimacombe J., 109
- Brimacombe J.: Measurement of neuromuscular blockade—a comparison between a new "homemade" force displacement transducer and the accelerometer, 203
- (C), 522
- Ng A., Tan S. S. W., Lee H. S., Chew S. L.: Effect of propofol infusion on the endocrine response to cardiac surgery, 543
- Ng S. K.: (C), 256
- (C), 257
- Ngan-Kee W. D.: (C), 653
- Ngan-Kee W. D., Lee B. B.: Cardiovascular collapse after combined spinal anaesthesia and interscalene brachial plexus block, 212
- Nisbet A.: see Carter B., 708-714
- Nitric oxide in awake humans. Quantitative measurement of nasal production of: Jenkins I. R., Langlois D., 702-705
- Noble D.: (C), 121
- Novella J.: (C), 402
- Nyman T. L. M.: see Mah E. T., 472
- O'Moore B. T.: see Lyons B., 507
- Obtaining consent for organ donation in nine NSW metropolitan hospitals: Chapman J. R., Hibberd A. D., McCosker C. J., Thompson J. F., Ross W., Mahony J. F., Byth P., Macdonald G. J., 81
- Metropolitan hospitals: Chapman J. R., Hibberd A. D., McCosker C. J., Thompson J. F., Ross W., Mahony J. F., Byth P., Macdonald G. J., 81
- Oh T. E.: (C), 253
- See Freebairn R. C., 570
- Ondansetron and minor oral surgery: Campbell R. C. H., Rodrigo M. R. C., 516
- Ondansetron for the prevention of nausea and vomiting: Priestley G. S., Seavell C. R., 122
- Ondansetron versus droperidol: Single dose prophylaxis for postoperative nausea and vomiting after major abdominal surgery: Paech M. J., Pavy T. J. G., Evans S. F., 548
- Ondansetron with droperidol comparing: A double-blind randomized study in the prevention of emesis following strabismus surgery: Davis A., Krige S., Moyes D., 438
- Organ Donor (Potential), Medical Management of the: Scheinkestel C. D., Tuxen D. V., Cooper D. J., Butt W., 51
- Organ donation, experience of donor families': Douglass G. E., Daly M., 96
- Organ donation and brain death—A point of view: Raper R., Fisher M. M., 16
- Organ donation and transplantation, A survey of personal and professional attitudes of intensivists to: Pearson I. Y., Zuryski Y., 68
- Organ donation in Australia: An historical overview, current directions and future principles: Dye P., 65
- Osborne A.: see Carter B., 708-714
- Outcome, Predicting, in Anaesthesia: Calder I., 125
- Overton J. H.: see Baines D., 191
- Overwhelming gram negative septicaemia shock in haemochromatosis: Cörke P. J., McLean A. S., Stewart D., Adams S., 346
- Owen H.: (R), 526
- Owen H.: see Arfeen Z., 449
- See Goucke R., 715-717
- See Kluger M. T., 687-690
- Paech M. J.: see Elson J. A., 339
- Pavy T. J. G., Sims C., Westmore M. D., Storey J. M., White C.: Clinical experience with patient-controlled and staff-administered intermittent bolus epidural analgesia in labour, 459
- Pavy T. J. G., Sims C., Westmore M. D., Storey J. M., White C.: Clinical experience with patient-controlled and staff-administered intermittent bolus epidural analgesia in labour, 459
- Pavy T. J. G., Evans S. F.: Single-dose prophylaxis for postoperative nausea and vomiting after major abdominal surgery: Ondansetron versus droperidol, 548
- Evans S. F.: Prospective clinical evaluation of two combined spinal-epidural kits, 600
- Pain and vomiting after vitreoretinal surgery: A potential role for local anaesthesia: Williams N., Strunin A., Heriot W., 444
- Pallis C.: Further thoughts on brainstem death, 20
- Palm A.: see Miller D. M., 296
- Palmer T. E. A., Cumpston P. H. V., Foster W. J., Jones R. D. M.: Continuous intravascular blood gas analysis during aortic aneurysm repair: The paratrend 7, 200
- Parental presence at induction of anaesthesia. A survey of NSW hospitals and tertiary paediatric hospitals in Australia: Baines D., Overton J. H., 191
- Parenteral nutrition, stroke caused by inadvertent intra-arterial: Lynch J. C., Shehabi Y., 358
- Paresis, prolonged unilateral lower limb, following abdominal surgery with epidural and general anaesthesia: Lyons B., Phelan D., McCarroll M., Stack J., Murphy S., O'Moore B. R., Gorey T. F., 507
- Parker F.: (C), 126
- Parkinson's disease, upper airway obstruction in: Fitzpatrick A. J., 367
- Patient-controlled and staff-administered intermittent bolus epidural analgesia in labour, clinical experience with: Paech M. J., Pavy T. J. G., Sims C., Westmore M. D., Storey J. M., White C., 459
- Paull J. D., Smith J., Williams L., Davidson G., Devine T., Holt M.: Balloon occlusion of the abdominal aorta during Caesarean hysterectomy for placenta percreta, 731-734
- Pavy T.: (C), 405
- Pavy T. J. G.: see Paech M. J., 459
- See Paech M. J., 548
- Gambling D. R., Merrick P. M., Douglas M. J.: Rectal indomethacin potentiates spinal morphine analgesia after caesarean delivery, 555
- Peacock M. J.: see Barry J. J., 354
- Pearson I. Y.: Editorial, 11
- Zuryski Y.: A survey of personal and professional attitudes of intensivists to organ donation and transplantation, 68

- Spencer-Plane T., Baisley P., Chapman J. R., Robertson P.: A survey of families of brain dead patients: Their experiences, attitudes to organ donation and transplantation, **88**
- Australian and New Zealand Intensive Care Society statement and guidelines on brain death and model policy on organ donation, **104**
- Peck D.: (C), **125**
- Peck D. J., Holland R.: Anaesthesia in a patient with agoraphobia, **238**
- Pembroke A. P., Klineberg P., Johnson D. C.: Traumatic tracheal disruption—diagnostic difficulties, **206**
- Peribulbar block for eye surgery, brainstem anaesthesia following a: Edge K. R., Davis A., **219**
- Perioperative system, the: A new approach to managing elective surgery: Kerridge R., Lee A., Latchford E., Beehan S. J., Hillman K. M., **591**
- Pfritzer J.: see Barry J. J., **354**
- Phantom limb pain, acute, controlled by ketamine; acute PLP controlled by: Knox D. J., McLeod B. J., Goucke C. R., **620**
- Pharyngoplasty, laser, anaesthesia for: Sher M., Brimacombe J., Laing D., **149**
- Phelan D.: see Lyons B., **507**
- Phillips G.: (R), **759**
- Pickford D. R.: see Warden J. C., **485**
- Pinder M., Hon H., Irmay F., Lipman J.: Failed nasogastric intubation in undiagnosed carcinoma of the oesophagus, **370**
- See Power B. M., **499**
- Pippa P., Barbagli R., Rabassini M., Doni L., Rucci F. S.: Postspinal headache in Taylor's approach: A comparison between 21- and 25-gauge needles in orthopaedic patients, **560**
- Placenta percreta; Balloon occlusion of the abdominal aorta during caesarean hysterectomy for: Paull J. D., Smith J., Williams L., Davidson G., Devine T., Holt M., **731-734**
- Plummer J. L.: see Arfeen Z., **449**
- See Kluger M. T., **687-690**
- Pneumocephalus: An unusual complication of resuscitation: Robbins P. M., Train J. J. A., **747-749**
- Pneumothorax, tension, due to intrapulmonary placement of intercostal chest drain: McConaghy P. M., Kennedy N., **496**
- Pocket Atlas of Human Anatomy—Third Edition 1994: Feneis H., Dauber W., (R), **758**
- Pocket Reference to Anaesthesia: Murphy P. G., (R), **656**
- Polyagglutinability, diagnosis of cryptantigen exposure and: Management of transfusion therapy in a patient with sepsis and colitis: Rodwell R., Lavercombe P., Taylor K. McD., Freney R., Haffenden M., Liew Y. W., Jayaswal U., **208**
- Poon M.: (C), **652**
- Postma G. N.: (C), **253**
- Postoperative atrial fibrillation due to full bladder: Griffin M., Walsh G., **752**
- Postoperative nausea and vomiting, A double-blind randomized controlled trial of ginger for the prevention of: Arfeen Z., Owen H., Plummer J. L., Ilsley A. H., Sorby-Adams R. A. C., Doecke C. J., **449**
- Postoperative vomiting in children: Kermod J. L., Walker S., Webb I., **196**
- Postspinal headache in Taylor's approach: A comparison between 21- and 25-gauge needles in orthopaedic patients: Pippa P., Barbagli R., Rabassini M., Doni L., Rucci F. S., **560**
- Potgieter P. D.: see Hammond J. M. J., **168**
- Power B. M., van Heerden P. V.: The physiological changes associated with brain death—current concepts and implications for treatment of the brain dead organ donor, **26**
- Pinder M., Hackett L. P., Ilett K. F.: Fatal serotonin syndrome following a combined overdose of moclobemide, clomipramine and fluoxetine, **499**
- Pinder M., Hackett L. P., Ilett K. F.: Fatal serotonin syndrome following a combined overdose of moclobemide, clomipramine and fluoxetine, **499**
- Power L.: (C), **119**
- Practical Procedures in Anaesthesia and Intensive Care: Soni N., **657**
- Predicting outcome in anaesthesia: Calder I., **125**
- Pressure-triggering and flow-triggering in pressure support ventilation (PSV) for neonates using an animal model. A comparative evaluation of: Uchiyama A., Imanaka H., Taenaka N., Nakano S., Fujino Y., Yoshina I., **302**
- Preventing epidural overdose: Kemble J., Holz P., **120**
- Priestley G.: (C), **119**
- Priestley G. S.: (C), **122**
- Principles and Practice of Obstetric Analgesia and Anesthesia: Bonica J. J., McDonald J. S., (R), **758**
- Problems in the modelling of inert gas kinetics: Gorman D., **187**
- Prolonged unilateral lower limb paresis following abdominal surgery with epidural and general anaesthesia: Lyons B., Phelan D., McCarroll M., Stack J., Murphy S., O'Moore B. T., Gorey T. F., **507**
- Propofol and epilepsy: Slater B. L., **517**
- Propofol induction in high-risk patients and dilemmas in the selection of a short-acting induction agent, Fatal cardiovascular collapse following: Warden J. C., Pickford D. R., **485**
- Propofol infusion, effect of on the endocrine response to cardiac surgery: Ng A., Tan S. S. W., Lee H. S., Chew S. L., **543**
- Propofol, modulating effects of lignocaine on: Tham C. S., Khoo S. T., **154**
- Propofol, The taste of: Low S. W., **753**
- Prospective clinical evaluation of two combined spinal-epidural kits: Paech M. J., Evans S. F., **600**
- Pulmonary Emergencies: Fein A. M., Niederman M. S., Brody G. M., **657**
- Pulmonary oedema, contralateral: Rose M., Thorpe C. M., **352**
- Pybus D. A.: (C), **403**
- "Quality-Adjusted Life Years" (QALYs), the use of to evaluate treatment in intensive care: Kerridge R. K., Glasziou P. P., Hillman K. M., **322**
- Quantitative measurement of nasal production of nitric oxide in awake humans: Jenkins I. R., Langlois D., **702-705**
- Rabassini M.: see Pippa P., **560**
- Rabbit epidural space, depth of the: Bozkurt P., Tunali Y., Kaya G., **119**
- Rama Prabhu N. V.: see van den Berg A. A., **165**
- See van den Berg A. A., **574**
- Ramage D. T.: see Bougher R. J., **111**
- See Bougher R. J., **373**
- Raper R., Fisher M. M.: Brain death and organ donation—A point of view, **16**
- Raper R. F.: see Johnson P. A., **697-701**
- Rationalizing venepuncture pain: Comparison of lignocaine injection, butterfly (21 gauge and 23 gauge) and venflon (20 gauge): van den Berg A. A., Rama Prabhu N. V., **165**
- Real-time ultrasound-guided central venous access via the subclavian approach: Lane P., Waldron R. J., **728-730**
- Rectal indomethacin potentiates spinal morphine analgesia after caesarean delivery: Pavy T. J. G., Gambling D. R., Merrick P. M., Douglas M. J., **555**
- Reed J., Baines D.: Difficult intubation following bilateral subtemporal decompression, **117**
- Reilly P. L.: see Lewis S. B., **307**
- Release of inflammatory mediators in association with collection of wound drainage blood during orthopaedic surgery: Arnestad J. P., Haeger M., Bengtson J. P., Bengtsson A., Lisander B., **683-686**
- Reply: Hughes P. J., Doherty M. M., Charman W. N., **119**
- Baines D., **519**
- Brimacombe J., Newell S., **522**
- Lin C. Y., **523**
- Ngan-Kee W. D., Lee B. B., **653**
- Respiratory arrest with patient-controlled analgesia: Simes D., Power L., Priestley G., **119**
- Respiratory Care Equipment: Branson R. D., Hess D. R., Chatburn R. L., (R), **759**
- Resuscitation, an unusual complication of: Pneumocephalus: Robbins P. M., Train J. J. A., **747-749**
- Rhabdomyolysis, massive, following cardiopulmonary bypass: Cone A., Schneider M., **721-724**

- Riley R. H.: (C), 407  
 Robbins P. M.: (C), 653  
 (C), 654  
 (C), 654  
 Train J. J. A.: Pneumocephalus: An unusual complication of resuscitation, 747-749  
 Roberts M.: (C), 519  
 Robertson E. A.: (C), 121  
 Robertson P.: see Pearson I. Y., 88  
 Rodrigo M. R. C.: (C), 516  
 Rodwell R., Lavercombe P., Taylor K., Freneys R., Haffenden M., Liew Y., Jayaswal U.: Diagnosis of cryptantigen exposure and polyagglutinability: Management of transfusion therapy in a patient with sepsis and colitis, 208  
 Roeggla G.: (C), 515  
 Roeggla M.: (C), 515  
 Room air, bronchoscopic insufflation of for the treatment of lobar atelectasis in mechanically ventilated patients: van Heerden P. V., Jacob W., Cameron P. D., Webb S., 175  
 Rose M., Thorpe C. M.: Contralateral pulmonary oedema, 352  
 Rosewarne F.: (C), 258  
 Ross W.: see Chapman J. R., 81  
 Rowbottom S. J.: Epidural caesarean section in a patient with congenital antithrombin III deficiency, 493  
 Epidural caesarean section in a patient with congenital antithrombin III deficiency, 493  
 Rowney D. A.: (C), 404  
 Royse C. F.: see Dawson P. J., 453  
 Rucci F. S.: see Pippa P., 560  
 Rudge B. A.: Decision-making in anaesthesia, 597  
 Rudkin G. E.: see Sparks C. J., 143  
 Russell W. J.: (R), 759  
 Sacral intervertebral approach for epidural anaesthesia in infants and children: Application of "drip and tube" method: Kumagai M., Yamashita M., 469  
 Salamonsen R.: (R), 261  
 Samii K.: see Mimoz O., 706-707  
 Savva D.: see van den Berg A. A., 574  
 Scheinkestel C. D., Tuxen D. V., Cooper J., Butt W.: Medical management of the (potential) organ donor, 51  
 Schneider M.: Fatal hepatic necrosis following cardiac surgery and enflurane anaesthesia, 225  
 See Cone A., 721-724  
 Schroeder oral/nasal directional stylet, difficulty in using the: Swales H., 407  
 Scott D.: (R), 263  
 Scribante J.: see Gous A. G. S., 678-682  
 Seavell C. R.: (C), 122  
 Selective decontamination of the digestive tract in primarily infected patients in the ICU, is there a role for selective decontamination of the ? : Hammond J. M. J., Potgieter P. D., 168  
 Seppelt I.: (C), 516  
 Serotonin syndrome, fatal, following a combined overdose of moclobemide, clomipramine and fluoxetine: Power B. M., Pinder M., Hackett L. P., Ilett K. F., 499  
 Seshadri P.: see Mah E. T., 472  
 Seshadri R.: see Mah E. T., 472  
 Sexton A.: (C), 754  
 Shann F.: A personal comment: Whole brain death versus cortical death, 14  
 Shehabi Y.: see Lynch J. C., 358  
 Sher M., Brimacombe J., Laing D.: Anaesthesia for laser pharyngoplasty—a comparison of the tracheal tube with the reinforced laryngeal mask airway, 149  
 Shimokawa A.: see Kawamoto M., 464  
 Short T. G.: (C), 253  
 Sidhu V. S.: (C), 651  
 Silagy C. A.: see Watts R. W., 564  
 Simes D.: (C), 119  
 Simmons S.: (C), 516  
 Sims C.: see Paech M. J., 459  
 Single-dose prophylaxis for postoperative nausea and vomiting after major abdominal surgery: Ondansetron versus droperidol: Paech M. J., Pavy T. J. G., Evans S. F., 548  
 Slater B. L.: (C), 517  
 Smith J.: see Paull J. D., 731-734  
 Sorby-Adams R. A. C.: see Arfeen Z., 449  
 Sparks C. J., Agiomea K., Fa'arondo J. R., Rudkin G. E.: Inguinal field block for adult hernia repair using a short-bevel needle. Description and clinical experience in Solomon Islands and an Australian teaching hospital, 143  
 Spears F. D., Littlewood K. E., Liu D. W. H.: Anaesthesia for the patient with allergy to latex, 623  
 Spencer-Plane T.: see Pearson I. Y., 88  
 Spinal subdural haematoma following combined spinal-epidural anaesthesia: Bougher R. J., Ramage D. T., 111  
 L-epidural anaesthesia: Bougher R. J., Ramage D. T., 373  
 Spinal-epidural anaesthesia, spinal subdural haematoma following combined: Bougher R. J., Ramage D. T., 111  
 Spinal-epidural kits, combined: Prospective clinical evaluation of two: Paech M. J., Evans S. F., 600  
 Splanchnic oxygen deficit in the intensive care unit, correction of: Dopexamine and colloid versus placebo: Trinder T. J., Lavery G. G., Fee J. P. H., Lowry K. G., 178  
 Sprotte needle introducers: Simmons S., 516  
 Sprotte spinal needle, the: Spot the introducer: Corke P. J., 259  
 Sreedhar R.: see Dal A., 513  
 Stack J.: see Lyons B., 507  
 Stewart D.: see Corke P. J., 346  
 Storey J. M.: see Paech M. J., 459  
 Street N. E.: see Milross J. G., 587  
 Stroke caused by inadvertent intra-arterial parenteral nutrition: Lynch J. C., Shehabi Y., 358  
 Strunin A.: see Williams N., 444  
 Strunin L.: (C), 755  
 Successful anaesthetic management of a patient with thyrotoxic hypokalaemic periodic paralysis for co-incidental appendicitis: Brimacombe J., Newell S., 109  
 Successful treatment of carbimazole-induced agranulocytosis and severe sepsis with granulocyte macrophage colony stimulating factor: Freebairn R. C., Young R. J., Gomersall C. D., Wickham N. W. R., Critchley J. A. J. H., 510  
 Sun K. O.: (C), 403  
 (C), 520  
 Swales H. A.: (C), 407  
 Symons N.: (C), 518  
 Taenaka N.: see Uchiyama A., 302  
 Takasaki M.: see Kawamoto M., 464  
 Tan S. S. W.: see Ng A., 543  
 Taylor K.: see Rodwell R., 208  
 Temperley A. D., Walker P. J.: Blind nasal intubation by monitoring capnography in a neonate with congenital microstomia, 490  
 Walker P. J.: Blind nasal intubation by monitoring capnography in a neonate with congenital microstomia, 490  
 Tension pneumothorax due to intrapulmonary placement of intercostal chest drain: McConaghy P. M., Kennedy N., 496  
 Testing the laryngeal mask: Boge E., Brandis K., 751  
 Tham C. S., Khoo S. T.: Modulating effects of lignocaine on propofol, 154  
 The CO<sub>2</sub> laser and latex armoured tube: Miller G. M., Limb R. I., 517  
 The circuit mount: Sexton A., 754  
 The donor families' experience of organ donation: Douglass G., Daly M., 96  
 The efficacy of adding a continuous intravenous morphine infusion to patient-controlled analgesia (PCA) in abdominal surgery: Dawson P. J., Libreri F. C., Jones D. J., Libreri G., Bjorksten A. R., Royse C. F., 453  
 The Geoffrey Kaye oration: Hains J., 376  
 The identification of potential cadaveric organ donors: Thompson J. F., McCosker C. J., Hibberd A. D., Chapman J. R., Compton

- J. S., Mahony J. F., Mohacsi P. J., MacDonald G. J., Spratt P. M., 75
- The imaging of brain death: Monseil L. H., 44
- The impact of heat and moisture exchanging humidifiers on work of breathing: Johnson P. A., Raper R. F., Fisher M. M., 697-701
- The medical emergency team: Lee A., Bishop G., Hillman K. M., Daffurn K., 183
- The Pediatric Airway—An Interdisciplinary Approach: Myer C. M., Cotton R. T., Shott S. R., (R) 760
- The perioperative system: A new approach to managing elective surgery: Kerridge R., Lee A., Latchford E., Beehan S. J., Hillman K. M., 591
- The physiological changes associated with brain death—current concepts and implications for treatment of the brain dead organ donor: Power B. M., van Heerden P. V., 26
- The role of autologous blood transfusion in joint replacement surgery: Mah E. T., Davis R., Seshadri P., Nyman T. L. M., Seshadri R., 472
- The taste of propofol: Low S. W., 753
- The use of "Quality-Adjusted Life Years" (QALYs) to evaluate treatment in intensive care: Kerridge R. K., Glasziou P. P., Hillman K. M., 322
- Thomas P. D.: (R), 658
- Thompson J. F., McCosker C. J., Hibberd A. D., Chapman J. R., Compton J. S., Mahony J. F., Mohacsi P. J., MacDonald G. J., Spratt P. M.: The identification of potential cadaveric organ donors, 75
- See Chapman J. R., 81
- Hibberd A. D., Mohacsi P. J., Chapman J. R., Macdonald G. J., Mahony J. F.: Can cadaveric organ donation rates be improved?, 99
- Thompson W. R.: (R), 262
- Thorpe C. M.: see Rose M., 352
- Thrombosis, atrial, percutaneous central venous catheter induced. A potential hazard during cardiac surgery diagnosed by intraoperative trans-oesophageal echo: Goodie D. B., Geiser J. F., 725-727
- Thymectomy in myasthenia gravis. A non-muscle-relaxant technique for video-assisted thorascopic: Chan M. T. V., Ng S. K., Low J. M., 256
- Thyrotoxic hypokalaemic periodic paralysis for coincidental appendicitis, A patient with: Successful anaesthetic management of, 109
- Tibbals J.: (R), 657
- Topical anaesthesia for cataract surgery: Edmeades R. A., 123
- Torda T.: (C), 519
- Total mechanical alternans in postoperative aortic valve replacement: Dal A., Manohar K., Kumar V. K. A., Sreedhar R., 513
- Toxic shock syndrome in a male secondary to myositis: Klonis E., 361
- Trachea, cancer of the, an unusual presentation: Crowhurst P., 254
- Tracheal disruption, traumatic—diagnostic difficulties: Pembroke A. P., Klineberg P., Johnson D. C., 206
- Tracheal stenosis, anaesthesia for stenting: Chen P. P., Ng S. K., Aun C. S. T., 257
- Train J. J. A.: see Robbins P. M., 747-749
- Trans-oesophageal echo; intraoperative, percutaneous central venous catheter: A potential hazard during cardiac surgery diagnosed by: Goodie D. B., Geiser J. F., 725-727
- Transcutaneous monitors for the measurement of arterial PO<sub>2</sub> and PCO<sub>2</sub> in neonates; A comparison of two: Carter B., Hochmann M., Osborne A., Nisbet A., Campbell N., 708-714
- Transplantation in Australia, An Overview of: McBride M., Chapman J. R., 60
- Traumatic tracheal disruption—diagnostic difficulties: Pembroke A. P., Klineberg P., Johnson D. C., 206
- Trinder T. J., Lavery G. G., Fee J. P. H., Lowry K. G.: Correction of splanchnic oxygen deficit in the intensive care unit: Dopexamine and colloid versus placebo, 178
- Lavery G. G., Fee J. P. H., Lowry K. G.: Low gastric intramucosal pH: Incidence and significance in intensive care patients, 315
- Tuck M.: (C), 408
- Tunali Y.: (C), 119
- Tuxen D.: (R), 657
- Tuxen D. V.: see Scheinkestel C. D., 51
- Twyford C. J.: see Freebairn R. C., 570
- Uchiyama A., Imanaka H., Taenaka N., Nakano S., Fujino Y., Yoshiya I.: A comparative evaluation of pressure-triggering and flow-triggering in pressure support ventilation (PSV) for neonates using animal model, 302
- Ultrasound-guided central venous access (via the subclavian approach, real-time: Lane P., Waldron R. J., 728-730
- Upper airway obstruction in Parkinson's disease: Fitzpatrick A. J., 367
- Urinary dipsticks to screen out catheter-associated bacteriuria in ICU patients; limited usefulness of: Mimos O., Costa Y., Bouchet E., Samii K., 706-707
- Use of an infant feeding tube in fiberoptic intubation: Cherian M. N., Mathews M. P., 524
- van Heerden P. V.: see Jenkins I. R., 364
- Vancomycin pharmacokinetics in critically ill infants, changes in: Gous A. G. S., Dance M. D., Lipman J., Luyt D. K., Mathivha R., Scribante J., 678-682
- Vedig A.: (R), 263
- Venepuncture pain, rationalizing: Comparison of lignocaine injection, butterfly (21 gauge and 23 gauge) and venflon (20 gauge), 165
- Video-assisted thoracoscopy for spontaneous haemopneumothorax: Barry J. J., Pfizner J., Peacock M. J., 354
- Vitreoretinal surgery, pain and vomiting after: A potential role for local anaesthesia: Williams N., Strunin A., Heriot W., 444
- Vocal cord paralysis, bilateral: Postma G., 253
- Bilateral, following endotracheal intubation: Dalton C., 350
- Vomiting, postoperative in children: Kermod J., Walker S., Webb I., 196
- Vomiting and pain after vitreoretinal surgery: A potential role for local anaesthesia: Williams N., Strunin N., Heriot W., 444
- van den Berg A. A., Rama Prabhu N. V.: Rationalizing venepuncture pain: Comparison of lignocaine injection, butterfly (21 gauge and 23 gauge) and venflon (20 gauge), 165
- Savva D., Honjol N. M., Rama Prabhu N. V.: Comparison of total intravenous, balanced inhalational and combined intravenous-inhalational anaesthesia for tympanoplasty, septorhinoplasty and adenotonsillectomy, 574
- van Heerden P. V.: see Power B. M., 26
- Cameron P. D., Jacob W., Webb S.: Bronchoscopic insufflation of room air for the treatment of lobar atelectasis in mechanically ventilated patients, 175
- Wajon P.: (C), 518
- Waldron R. J.: see Lane P., 728-730
- Walker P. J.: see Temperley A. D., 490
- Walker S.: see Kermod J. L., 196
- Walsh G.: (C), 752
- Walsh R.: (C), 518
- Warden J. C.: (C), 156
- Pickford D. R.: Fatal cardiovascular collapse following propofol induction in high-risk patients and dilemmas in the selection of a short-acting induction agent, 485
- Pickford D. R.: Fatal cardiovascular collapse following propofol induction in high-risk patients and dilemmas in the selection of a short-acting induction agent, 485
- Warmington A.: (C), 125
- Watkins D. N.: see Jenkins I. R., 364
- Watts R. W., Silagy C. A.: A meta-analysis on the efficacy of epidural corticosteroids in the treatment of sciatica, 564
- Webb I.: see Kermod J. L., 196
- Webb S.: see van Heerden P. V., 175
- Weekes J. W.: see Dobb G. J., 37
- Weeks A. M., Buckland M. R.: Anaesthesia for adults with cystic fibrosis, 332
- (C), 525
- Westhorpe R.: Cover Note—Skinner's chloroform mask, 3
- Westmore M. D.: see Paech M. J., 459



- What is the role of absorption atelectasis in the genesis of perioperative pulmonary collapse?: Joyce C. J., Baker A. B., 691-696
- White C.: see Paech M. J., 459
- Wickham N. W. R.: see Freebairn R. C., 510
- Wilkinson K. A.: (C), 519
- Williams L.: see Paull J. D., 731-734
- Williams N., Strunin A., Heriot W.: Pain and vomiting after vitreoretinal surgery: A potential role for local anaesthesia, 444
- Strunin A., Heriot W.: Pain and vomiting after vitreoretinal surgery: A potential role for local anaesthesia, 444
- Williamson R.: (C), 756
- Wilson K. P.: (C), 122
- Wishaw K. J.: (C), 123
- Woodey R.: (C), 519
- Yamashita M.: see Kumagai M., 469
- Yap S. J.: (C), 403
- Yoshiya I.: see Uchiyama A., 302
- Young R. J., Lipman J., Freebairn R. C.: Accidental intra-arterial adrenaline administration, 488
- Freebairn R. C., Lipman J.: Accidental intra-arterial adrenaline administration, 488
- See Freebairn R. C., 510
- Zavattaro M.: (C), 651
- Zuryski Y.: see Pearson I. Y., 68



